



**Europäisches
Patentamt**

**European
Patent Office**

**Office européen
des brevets**

JC625 U.S. PRO
09/511780
02/23/00

Bescheinigung

Certificate

Attestation

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

97202631.4

Der Präsident des Europäischen Patentamts:
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

I.L.C. HATTEN-HECKMAN

DEN HAAG, DEN
THE HAGUE, 21/12/99
LA HAYE, LE



Eur päisches
Patentamt

European
Patent Office

Office européen
des br vets

Blatt 2 der Bescheinigung
Sheet 2 of the certificate
Page 2 de l'attestation

Anmeldung Nr.:
Application no.:
Demande n°: 97202631.4

Anmeldetag:
Date of filing:
Date de dépôt: 28/08/97

Anmelder:
Applicant(s):
Demandeur(s):
SOCIETE DES PRODUITS NESTLE S.A.
1800 Vevey
SWITZERLAND

Bezeichnung der Erfindung:
Title of the invention:
Titre de l'invention:

Cream-based food composition and process for the manufacture thereof

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s) revendiquée(s)

Staat:
State:
Pays:

Tag:
Date:
Date:

Aktenzeichen:
File no.
Numéro de dépôt:

Internationale Patentklassifikation:
International Patent classification:
Classification internationale des brevets:

A23L1/19, A23C19/093, A23C9/13, A21D13/08

Am Anmeldetag benannte Vertragsstaaten
Contracting states designated at date of filing: AT/BE/CH/DE/DK/ES/FI/FR/GB/GR/IE/IT/LI/LU/MC/NL/PT/SE
Etats contractants désignés lors du dépôt:

Bemerkungen
Remarks
Remarques

Cream-based food composition and process for the manufacture thereof

The subject of the present invention is a
 5 process for the preparation of a cream and the use of
 this cream in the manufacture of a food composition.

The preparation of cream-based food compositions
 is known.

EP 0714608 describes in particular a process for
 10 the manufacture of appetizers from a mixture containing
 in particular soft white cheese which is pasteurized and
 cooled to 10°C before being extruded and then frozen, so
 as to be able to be cut into portions which are then
 coated with a fat-based topping.

Furthermore, EP 0687420 describes a process for
 15 the manufacture of a biscuit coated and filled with a
 cream containing living lactic acid bacteria, exhibiting
 a water activity (Aw) of 0.75-0.86 and comprising a
 sufficient amount of fatty substance so that it is in
 20 the form of a water-in-oil emulsion.

The aim of the present invention is to provide a
 simple and rapid process which makes it possible to
 produce a cream with a creamy texture and with a fresh
 taste.

To this end, in the process according to the
 25 present invention, a mixture containing 10-20% of milk
 derivatives, 8-30% of sugars, 10-60% of fermented dairy
 product, 0-25% of sour cream or of dairy cream
 containing 25-45% of fatty substance, 0-35% of
 30 texturizing agent, 0-20% of aromatic product and 0-0.5%
 of salt is prepared with stirring, this mixture is heat
 treated at 60-115°C for 7 s to 5 min, the temperature of
 the mixture is adjusted to 15-40°C, and 10-45% of molten
 fatty substance, with respect to the total weight of the
 35 mixture, is added to the mixture with stirring, so as to
 obtain a homogeneous cream which exhibits an Aw of
 0.80-0.91.

It was surprisingly found that the process

5 advantage of being able to be consumed directly after storage at refrigerator temperature or a few hours after having been exposed to room temperature.

10 powdered skimmed milk, powdered unskimmed milk or
sweetened evaporated milk, for example.

15 bread, brioche rolls or Viennese bread and buns, for example.

20 cream or of dairy cream containing 25-45% of fatty substance, 0-35% of texturizing agent, 0-20% of aromatic product and 0-0.5% of salt is thus prepared with stirring in a turbomixer. The mixture according to the present invention can also contain a supplement of
25 inorganic salts, functional nutritional compounds and/or a supplement of vitamins, for example.

It is possible to use a milk derivative, such as powdered unskimmed milk and/or powdered skimmed milk and/or sweetened evaporated milk, for example.

30 It is possible to use, as sugars, sucrose,
invert sugar syrup, glucose syrup and/or honey, for
example.

35 cheese and/or powdered fermented milk diluted in milk or
in water and/or powdered yogurt diluted in water or in
milk and/or powdered cream cheese or quark diluted in
water or in milk, for example.

It is possible to use sour cream or dairy cream

containing 25-45% of fatty substance, so as to increase the organoleptic qualities of the mixture, in particular its smoothness, for example.

5 Maltodextrin and/or fermented cereal product can be used as texturizing agent, so as to give body to the mixture while limiting its sweet flavour, for example.

It is possible to use, as aromatic product, honey, cocoa, coffee, caramel, hazelnuts, almonds, vanilla or whole fruits and/or fruit chunks and/or fruit
10 syrup and/or concentrated fruit juices, for example.

It is possible to use cocoa, coffee, hazelnuts or vanilla in the solid form, in particular in powdered form, or in liquid form, for example.

It is possible in particular to use lemon, cherries,
15 strawberries, raspberries, blackberries, apricots or peaches as whole fruits and/or as fruit chunks and/or as fruit syrup. The whole fruits and/or fruit chunks can be candied or uncandied fruits, semi-candied fruits and/or freeze-dried fruits, for example.

20 Before the heat treatment, the value of the pH of the mixture can be adjusted to 4-6, depending on the acidity of the aromatic product contained in the mixture, for example. In the case where the aromatic product is acidic, the pH of the mixture is very
25 precisely adjusted, so as not to destroy the smooth structure of the mixture. It can in particular be adjusted by adding 0.1-2% of lactic acid or 0.1-2% of citric acid to the mixture, for example.

The mixture is then thus heat treated at
30 60-115°C for 7 sec to 5 min, so as to pasteurize it.

If it is desired to set the mixture aside, before adding the fatty substance thereto, it is possible, if appropriate, to cool it, so as to store it at 8-20°C and to maintain it thus under good hygienic
35 conditions, for example.

The temperature of the mixture is thus subsequently adjusted to 15-40°C.

It is possible to incorporate, in the mixture,

0.02-0.5% of crystalline lactose per 100 g of mixture, after having adjusted the temperature of the mixture to 15-40°C.

Living lactic acid bacteria can then be added to the mixture at a concentration of 10^9 - 10^{11} per gram of mixture, after having adjusted the temperature of the mixture to 15-40°C. The living lactic acid bacteria can be added in dried form, in the form of a frozen concentrated culture or in the form of a fermented dairy product, for example.

10-45% of molten fatty substance, with respect to the total weight of the mixture, is then added to the mixture with stirring, so as to obtain a homogeneous cream which exhibits an A_w of 0.80-0.91. The fatty substance can be vegetable fat, the melting point of which is greater than 30°C, or a mixture of such vegetable fats and of animal fat, in particular butter, for example.

It is then possible to aerate the cream, so as to make it lighter. It is possible in particular to aerate it by incorporating therein, by continuous injection, in particular 25 to 150 ml of an inert gas, such as nitrogen or other gases, such as air or carbon dioxide, per 100 g of cream, for example.

Another subject of the present invention is a food composition comprising the cream, obtained by the implementation of the process, cooled and then deposited on at least one layer of biscuit, preferably between two layers of biscuit.

The food composition according to the present invention preferably exhibits an A_w of 0.75-0.88. Moreover, this food composition can be stored for at least 45 days at refrigerator temperature, that is to say at 4-8°C. The food composition according to the present invention can be consumed immediately after storage at refrigerator temperature or a few hours, in particular 3-12 h, after having been removed from a refrigeration area and having been left at room temperature.

The food composition can be coated entirely or partially with chocolate, a chocolate substitute or an icing of fondant type, for example.

Moreover, the food composition according to the present invention can contain, in the cream or in the biscuit, lactic acid bacteria at a concentration of 10^4 - 10^9 per gram of the food composition.

The preparation process and the food composition according to the present invention are described in more detail in the examples below where the percentages are given by weight, except when otherwise indicated.

Example 1

A food composition with a strawberry aroma is prepared.

To do this, a mixture containing 17% of powdered skimmed milk, 14% of sucrose, 2.3% of glucose syrup, 20% of cream cheese, 11% of yogurt, 5% of dairy cream containing 35% of fatty substance, 20% of maltodextrin, 10% of strawberry pulp and 0.7% of powdered strawberry essence is prepared with stirring in a turbomixer.

The pH of the mixture is adjusted to 4.4 by adding 1.5% of lactic acid thereto.

The viscosity of the mixture is measured using a Brookfield viscometer sold by the Company Brookfield Engineering Laboratories Inc., Stoughton, USA. The mixture exhibits a viscosity of 7600 cps at 29°C.

The mixture is then heat treated at 80°C for 3 min.

Its temperature is then adjusted to 32°C before incorporating, in the mixture, 0.04% of crystalline lactose per 100 g of mixture.

20% of molten fatty substance, with respect to the total weight of the mixture, is then added with stirring, so as to obtain a homogeneous cream.

A homogeneous cream is thus obtained which exhibits an Aw of 0.91 and a pH value of 4.3.

1 - 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 710, 720, 730, 740, 750, 760, 770, 780, 790, 800, 810, 820, 830, 840, 850, 860, 870, 880, 890, 900, 910, 920, 930, 940, 950, 960, 970, 980, 990, 1000, 1010, 1020, 1030, 1040, 1050, 1060, 1070, 1080, 1090, 1100, 1110, 1120, 1130, 1140, 1150, 1160, 1170, 1180, 1190, 1200, 1210, 1220, 1230, 1240, 1250, 1260, 1270, 1280, 1290, 1300, 1310, 1320, 1330, 1340, 1350, 1360, 1370, 1380, 1390, 1400, 1410, 1420, 1430, 1440, 1450, 1460, 1470, 1480, 1490, 1500, 1510, 1520, 1530, 1540, 1550, 1560, 1570, 1580, 1590, 1600, 1610, 1620, 1630, 1640, 1650, 1660, 1670, 1680, 1690, 1700, 1710, 1720, 1730, 1740, 1750, 1760, 1770, 1780, 1790, 1800, 1810, 1820, 1830, 1840, 1850, 1860, 1870, 1880, 1890, 1900, 1910, 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, 2010, 2020, 2030, 2040, 2050, 2060, 2070, 2080, 2090, 2100, 2110, 2120, 2130, 2140, 2150, 2160, 2170, 2180, 2190, 2200, 2210, 2220, 2230, 2240, 2250, 2260, 2270, 2280, 2290, 2300, 2310, 2320, 2330, 2340, 2350, 2360, 2370, 2380, 2390, 2400, 2410, 2420, 2430, 2440, 2450, 2460, 2470, 2480, 2490, 2500, 2510, 2520, 2530, 2540, 2550, 2560, 2570, 2580, 2590, 2600, 2610, 2620, 2630, 2640, 2650, 2660, 2670, 2680, 2690, 2700, 2710, 2720, 2730, 2740, 2750, 2760, 2770, 2780, 2790, 2800, 2810, 2820, 2830, 2840, 2850, 2860, 2870, 2880, 2890, 2900, 2910, 2920, 2930, 2940, 2950, 2960, 2970, 2980, 2990, 3000, 3010, 3020, 3030, 3040, 3050, 3060, 3070, 3080, 3090, 3100, 3110, 3120, 3130, 3140, 3150, 3160, 3170, 3180, 3190, 3200, 3210, 3220, 3230, 3240, 3250, 3260, 3270, 3280, 3290, 3300, 3310, 3320, 3330, 3340, 3350, 3360, 3370, 3380, 3390, 3400, 3410, 3420, 3430, 3440, 3450, 3460, 3470, 3480, 3490, 3500, 3510, 3520, 3530, 3540, 3550, 3560, 3570, 3580, 3590, 3600, 3610, 3620, 3630, 3640, 3650, 3660, 3670, 3680, 3690, 3700, 3710, 3720, 3730, 3740, 3750, 3760, 3770, 3780, 3790, 3800, 3810, 3820, 3830, 3840, 3850, 3860, 3870, 3880, 3890, 3900, 3910, 3920, 3930, 3940, 3950, 3960, 3970, 3980, 3990, 4000, 4010, 4020, 4030, 4040, 4050, 4060, 4070, 4080, 4090, 4100, 4110, 4120, 4130, 4140, 4150, 4160, 4170, 4180, 4190, 4200, 4210, 4220, 4230, 4240, 4250, 4260, 4270, 4280, 4290, 4300, 4310, 4320, 4330, 4340, 4350, 4360, 4370, 4380, 4390, 4400, 4410, 4420, 4430, 4440, 4450, 4460, 4470, 4480, 4490, 4500, 4510, 4520, 4530, 4540, 4550, 4560, 4570, 4580, 4590, 4600, 4610, 4620, 4630, 4640, 4650, 4660, 4670, 4680, 4690, 4700, 4710, 4720, 4730, 4740, 4750, 4760, 4770, 4780, 4790, 4800, 4810, 4820, 4830, 4840, 4850, 4860, 4870, 4880, 4890, 4900, 4910, 4920, 4930, 4940, 4950, 4960, 4970, 4980, 4990, 5000, 5010, 5020, 5030, 5040, 5050, 5060, 5070, 5080, 5090, 5100, 5110, 5120, 5130, 5140, 5150, 5160, 5170, 5180, 5190, 5200, 5210, 5220, 5230, 5240, 5250, 5260, 5270, 5280, 5290, 5300, 5310, 5320, 5330, 5340, 5350, 5360, 5370, 5380, 5390, 5400, 5410, 5420, 5430, 5440, 5450, 5460, 5470, 5480, 5490, 5500, 5510, 5520, 5530, 5540, 5550, 5560, 5570, 5580, 5590, 5600, 5610, 5620, 5630, 5640, 5650, 5660, 5670, 5680, 5690, 5700, 5710, 5720, 5730, 5740, 5750, 5760, 5770, 5780, 5790, 5800, 5810, 5820, 5830, 5840, 5850, 5860, 5870, 5880, 5890, 5900, 5910, 5920, 5930, 5940, 5950, 5960, 5970, 5980, 5990, 6000, 6010, 6020, 6030, 6040, 6050, 6060, 6070, 6080, 6090, 6100, 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190, 6200, 6210, 6220, 6230, 6240, 6250, 6260, 6270, 6280, 6290, 6300, 6310, 6320, 6330, 6340, 6350, 6360, 6370, 6380, 6390, 6400, 6410, 6420, 6430, 6440, 6450, 6460, 6470, 6480, 6490, 6500, 6510, 6520, 6530, 6540, 6550, 6560, 6570, 6580, 6590, 6600, 6610, 6620, 6630, 6640, 6650, 6660, 6670, 6680, 6690, 6700, 6710, 6720, 6730, 6740, 6750, 6760, 6770, 6780, 6790, 6800, 6810, 6820, 6830, 6840, 6850, 6860, 6870, 6880, 6890, 6900, 6910, 6920, 6930, 6940, 6950, 6960, 6970, 6980, 6990, 7000, 7010, 7020, 7030, 7040, 7050, 7060,

A homogeneous cream is thus obtained which

exhibits an Aw of 0.89 and a pH value of 5.8.

Before depositing this homogeneous cream between two layers of biscuit, it is cooled and then aerated by incorporating therein 60 ml of nitrogen per 100 g of
5 cream.

14 g of this cream are then deposited, using a depositing nozzle, between two layers of biscuit, each of 7 g.

A food composition is thus obtained with a cocoa
10 aroma which has a creamy texture and which exhibits a fresh taste.

This composition is wrapped in a hermetically closed plastic sachet and is then stored at refrigerator temperature.

Claims

1. Process for the preparation of a cream, in which:
 - a mixture containing 10-20% of milk derivatives, 8-30%
5 of sugars, 10-60% of fermented dairy product, 0-25% of
sour cream or of dairy cream containing 25-45% of fatty
substance, 0-35% of texturizing agent, 0-20% of aromatic
product and 0-0.5% of salt is prepared with stirring,
- this mixture is heat treated at 60-115°C for 7 sec to
10 5 min,
- the temperature of the mixture is adjusted to 15-40°C,
and 10-45% of fatty substance, with respect to the
total weight of the mixture, is added to the mixture
with stirring, so as to obtain a homogeneous cream
15 which exhibits an Aw of 0.80-0.91.
2. Process according to Claim 1, in which the aromatic
product is honey, cocoa, coffee, caramel, hazel-nuts,
almonds, vanilla or fruit chunks and/or whole fruits
20 and/or fruit syrups and/or concentrated fruit juices.
3. Process according to Claim 1, in which the value of
the pH of the mixture is adjusted to 4-6, before the
mixture is heat treated.
25
4. Process according to Claim 1, in which living lactic
acid bacteria are added to the mixture at a concentra-
tion of 10^8 - 10^{11} per gram of the mixture, after having
adjusted the temperature of the mixture to 15-40°C.
30
5. Process according to Claim 1, in which the
homogeneous cream is aerated.
6. Food composition comprising the cream obtained by the
35 implementation of the process according to one of Claims
1 to 5 deposited on at least one layer of biscuit.
7. Food composition according to Claim 6, comprising the

cream deposited between two layers of biscuit.

8. Food composition according to Claim 6, which exhibits an Aw of 0.75-0.88.

5

9. Food composition according to Claim 6, containing living lactic acid bacteria at a concentration of 10^4 - 10^9 per gram of the food composition.

10 10. Food composition according to one of Claims 6 to 9, which is entirely or partially coated with a coating material.

Abstract

Cream-based food composition and process for the manufacture thereof

Process for the preparation of a cream, in which a mixture containing a milk derivative, 8-30% of sugars, 10-60% of fermented dairy product, 0-25% of sour cream or of dairy cream containing 25-45% of fatty substance, 0-35% of texturizing agent, 0-20% of aromatic product and 0-0.5% of salt is prepared with stirring, it is heat treated, its temperature is adjusted to 15-40°C and molten fatty substance is added to it with stirring, so as to obtain a homogeneous cream.

The cream thus obtained can be used in the manufacture of a food composition by depositing it on at least one layer, preferably between two layers, of biscuit.